

WELCOME

Accidental overdose is now
THE LEADING CAUSE OF DEATH
for people in the U.S. under 50 years old.

CDC

In Oklahoma, there are nearly
1,000 ACCIDENTAL OVERDOSE DEATHS
related to opioids every year.

OSDH

70% WERE DRIVEN BY OPIOIDS,
including the synthetic opioid, fentanyl.

CDC

With resources
like naloxone and fentanyl test strips,

**SEVERAL OF THESE DEATHS
COULD HAVE BEEN AVOIDED.**

NALOXONE

A life-saving medication that can reverse an opioid overdose when it's given in time.

In Oklahoma, we use the NARCAN[®] brand of naloxone nasal spray.

FENTANYL TEST STRIPS

Illicit fentanyl is used in the illegal drug trade for its heroin-like effect.

Even in small doses, it can cause a fatal overdose.

And unless you test for it, it's nearly impossible to tell if it's present.

Fentanyl test strips are easy to use and only take about 5 minutes for results.

THE OBJECTIVE

Our goal is to provide

AWARENESS AND ACCESS

to resources like naloxone and fentanyl test strips so that we can help safely reduce the risk of fatal overdose for every Oklahoman who either uses substances or knows someone who does.

Resources are available online and in vending machines placed in communities across Oklahoma.

WHO IS THIS FOR?

There is no standardized profile for people who use substances or know someone who does.

THIS IS FOR EVERY OKLAHOMAN.

In accidental overdose events,
80% HAPPEN AT HOME.

And in many of these,
there are bystanders present.

CDC

VENDING MACHINES

Packaging for the naloxone kits and fentanyl test strips have been designed to tie the materials in with the campaign and to make them feel less clinical.



With 40 total machines ready for placement, Oklahoma's vending machine program will be the largest of its kind in the country.



NALOXONE & FENTANYL TEST STRIPS

Each machine holds 100 naloxone kits (2 doses/kit)
and 54 fentanyl test strip boxes (5 strips/box).

Height: 77" Width: 29" Depth: 33"

Weight: 430 lbs

7" digital touch screen to order items

Customer only needs to provide their zip code

Real-time monitoring to maintain inventory levels

ODMHSAS monitors and coordinates restocking

Wi-Fi enabled and cellular connectivity

Standard GFCI protection required

Most commercial-grade three-prong outlets are suitable

Power consumption runs 3.1 - 4.4 kWh/day for lighting
and 3.5 - 4 kWh/day for the refrigeration


Refrigeration only required if installed outdoors

Should not be installed in direct sunlight

THANK YOU

For more information, please visit
OKIMREADY.ORG/STOPOVERDOSE

OKIMREADY.ORG



OKLAHOMA
Mental Health &
Substance Abuse